

| Variable | | | Base [2] | Reference Name | Codebook for SAS data sets - Experimental sample segments |
|----------|---------|-----------|----------|----------------|--|
| Number | Name | Width [1] | | | Descriptive text, allowed values and skip instructions |
| | | | | | CODEBOOK FOR THE HEADER |
| 1000 | SAMPLE | 03 | all | SAMPLE | SAMPLE DEFINITION VARIABLES 100 = EXP 110 = EXP/treatment 112 = EXP/treatment 120 = EXP/control 121 = EXP/control/FBE 122 = EXP/control/other 200 = ENP |
| 1001 | RECID | 06 | all | RECID | PROJECT ID NUMBER |
| 1002 | SSN | 09 | all | SSN | SOCIAL SECURITY NUMBER THIS FIELD HAS BEEN ENCRYPTED FOR CONFIDENTIALITY REASONS. |
| 1003 | DOB | | all | DOB | RESPONDENT'S DATE OF BIRTH |
| 1003.01 | DOBY | 02 | | DOB_YY | RESPONDENT'S YEAR OF BIRTH 00..89 = Year 99 = Missing |
| 1003.02 | DOBMM | 02 | | DOB_MM | RESPONDENT'S MONTH OF BIRTH 01..12 = Month 15 = Winter 16 = Spring 17 = Summer 18 = Fall 99 = Missing |
| 1003.03 | DOBDD | 02 | | DOB_DD | RESPONDENT'S DAY OF BIRTH 01..31 = Day 92 = Beginning of month 93 = Middle of month 94 = End of month 99 = Missing |
| 1004 | TRG_GRP | 01 | all | TRG_GRP | TARGET GROUP 1 = Adult male 2 = Adult female 3 = Minority youth 4 = Non minority youth 9 = Missing |

| | | | | | |
|------|------|----|-----|------|---|
| 1005 | AGE | 02 | all | AGE | RESPONDENT'S AGE 01..89 = Age 99 = Missing |
| 1006 | RACE | 01 | all | RACE | RESPONDENT'S RACE 1 = White, Non Hispanic 2 = Black, Non Hispanic 3 = Hispanic 4 = American Indian/Alaskan 5 = Asian/Pacific/Filipino 9 = Missing |

[1]: Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.
[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

| Variable | | | Base [2] | Reference Name | Codebook for SAS data sets - Experimental sample segments |
|----------|----------|-----------|----------|----------------|--|
| Number | Name | Width [1] | | | Descriptive text, allowed values and skip instructions |
| 1007 | SEX | 01 | all | SEX | RESPONDENT'S GENDER 1 = Male 2 = Female 9 = Missing |
| 1008 | JTSITE | | all | JTSITE | JTPA SITE |
| 1008.01 | SDA | 02 | | SDA | SDA The site codes are as follows: CC = Corpus Christi, Texas CI = Cedar Rapids, Iowa CV = Coosa Valley, Georgia HF = Heartland, Florida IN = Fort Wayne, Indiana JC = Jersey City, New Jersey LC = Larimer, Colorado MD = Macon/Dewitt, Illinois MN = Northwest Minnesota MT = Butte Rural CPE, Montana NE = Omaha, Nebraska OH = Marion County, Ohio OK = Oakland, California PR = Providence, Rhode Island SM = Springfield, Missouri |
| 1008.02 | OFFICE | 02 | | OFFICE | OFFICE WITHIN SDA This is a two digit location code. |
| 1009 | STATE | 02 | all | STATE | STATE, FIPS CODE |
| 1010 | FELG_DAT | | all | FELG_DAT | DATE OF ELIGIBILITY This date is the RA date for the EXP population and the screener date for the ENP population. |
| 1010.01 | ELIGYY | 02 | | FELIGYY | YEAR OF ELIGIBILITY 87..91 = Year 99 = Missing |
| 1010.02 | ELIGMM | 02 | | FELIGMM | MONTH OF ELIGIBILITY 01..12 = Month 15 = Winter 16 = Spring 17 = Summer 18 = Fall 99 = Missing |

| | | | | | |
|---------|----------|----|-----|----------|---|
| 1010.03 | ELIGDD | 02 | | FELIGDD | DAY OF ELIGIBILITY 01..31 = Day 92 = Beginning of month 93 = Middle of month 94 = End of month 99 = Missing |
| 1011 | FBEG_REF | | all | FDAT_BEG | FOLLOW-UP "BEGIN OF REFERENCE PERIOD" Note: This date is NOT the START date for the actual INTERVIEW but the "BEGIN" date of the retrospective RECALL period. For EXP's (FUP1) - Date of random assignment For EXP's (FUP2) - Date of FUP1 interview For ENP's - Date of LB interview |

[1]: Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.

[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

| Variable | | | Base [2] | Reference Name | Codebook for SAS data sets - Experimental sample segments |
|----------|---------|-----------|----------|----------------|---|
| Number | Name | Width [1] | | | Descriptive text, allowed values and skip instructions |
| 1011.01 | BEG_RYY | 02 | | BEG_RYY | BEGIN REFERENCE YY 89..91 = Year 99 = Missing |
| 1011.02 | BEG_RMM | 02 | | BEG_RMM | BEGIN REFERENCE MM 01..12 = Month 15 = Winter 16 = Spring 17 = Summer 18 = Fall 99 = Missing |
| 1011.03 | BEG_RDD | 02 | | BEG_RDD | BEGIN REFERENCE DD 01..31 = Day 92 = Beginning of month 93 = Middle of month 94 = End of month 99 = Missing |
| 1012 | SURVEY | 03 | all | SURVEY | SURVEY INDICATOR Survey indicator set to "F1P" or "F2P". |
| 1013 | CATICAD | 01 | all | CATICAD | METHOD OF INTERVIEW 1 = CATI 2 = CADE |
| 1014 | SEGMENT | 02 | all | SEGMENT | SEGMENT ID 00 = Complete record 01 = Main 02 = Adult 03 = Youth 04 = Other 05 = Cdate 06 = Locator 07 = SMS 11 = Bjob 12 = Dschool 13 = Clook 21 = Buib 22 = Bsui 31 = Gafdc 32 = Gfdst 33 = Ggenass 34 = Gssi 61 = Stver 62 = Jobver 71 = CTS 91 = Gkin 93 = Hhome |

| | | | | | |
|------|----------|----|-----|----------|---|
| | | | | | CONSTRUCTED DATES FROM THE SMS |
| 1015 | FEND_REF | 06 | all | FEND_REF | MMDDYY OF END OF REFERENCE Date case first entered CATI (END OF REFERENCE period). Constructed from REF_DATE, SMS variable. |
| 1016 | FDAT_FIN | 07 | all | FDAT_FIN | DDMMYY CASE GIVEN FINAL DISPOSITION Date case given final disposition. Constructed from DATE_FIN, SMS variable. |

[1]: Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.

[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

| Variable | | | Base [2] | Reference Name | Codebook for SAS data sets - Experimental sample segments |
|----------|----------|-----------|----------|----------------|--|
| Number | Name | Width [1] | | | Descriptive text, allowed values and skip instructions |
| 1017 | MAINDISP | 02 | all | MAINDISP | SMS VARIABLES CODEBOOK CASE STATUS 00 = Not released 01 = Case released 30 = No action 31 = No answer/busy 33 = Temporary unlocatable 40 = Callback 41 = Remail 42 = Respondent to call in 43 = Language problem 44 = Temporary unavailable 45 = Temporary refusal 46 = Appointment 47 = Broken appointment 49 = Other 51 = To field 52 = To field (partial) 61 = Completed in person 62 = Completed by phone 64 = CADEd, needs retrieval 65 = CADEd, needs validation 66 = CATIed, needs I/O coding 69 = Problem case 70 = Ready for upload 75 = Case uploaded 92 = Deceased 93 = Final unlocatable 94 = Final unavailable 95 = Final refusal 96 = Final language barrier 99 = Final other |
| 1018 | MDSPDATE | 07 | all | MDSPDATE | DDMMYY OF LAST CASE_DISP UPDATE |
| 1019 | DOB | 06 | all | BRTHDATE | MMDYY OF RESPONDENTS BIRTH |
| 1020 | RLSEDATE | | all | RLSEDATE | DDMMYY CASE RELEASED ON SMS |
| 1020.01 | INTV_DAT | 04 | | INTVMNTH | MMYY OF INTERVIEW |
| 1020.02 | SITE | 02 | | SITE | JTPA SITE CODES |

| | | | | | |
|--|--|--|--|--|--|
| | | | | | <p>The site codes are as follows:</p> <p>CC = Corpus Christi, TX</p> <p>CI = Cedar Rapids, IA</p> <p>CV = Coosa Valley, GA</p> <p>HF = Heartland, FL</p> <p>IN = Fort Wayne, IN</p> <p>JC = Jersey City, NJ</p> <p>LC = Larimar County, CO</p> <p>MD = Macon/Dewitt, IL</p> <p>MN = Northwest Montana</p> <p>MT = Butte Rural CEP, MT</p> <p>NE = Omaha, NE</p> <p>OH = Marion County, OH</p> <p>OK = Oakland, CA</p> <p>PR = Providence, RI</p> <p>SM = Springfield, MO</p> |
|--|--|--|--|--|--|

[1]: Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.
[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

| Variable | | | Base [2] | Reference Name | Codebook for SAS data sets - Experimental sample segments |
|----------|----------|-----------|----------|----------------|--|
| Number | Name | Width [1] | | | Descriptive text, allowed values and skip instructions |
| 1020.03 | STAFFGRP | 01 | | STAFFGRP | STAFF GROUP THAT HAS INTERVIEW 1 = Phone center 2 = Field |
| 1020.04 | INRVWR | 04 | | INRVWR | INTERVIEWER ID NUMBER |
| 1020.05 | FLD_DATE | 07 | | FLD_DATE | DDMMYY CASE ASSIGNED TO FIELD |
| 1020.06 | OFLD_DSP | 02 | | OFLD_DSP | MAINDISP WHEN CASE FIRST SENT TO FIELD 00 = Not released 01 = Case released 30 = No action 31 = No answer/busy 33 = Temporary unlocatable 40 = Callback 41 = Remail 42 = Respondent to call in 43 = Language problem 44 = Temporary unavailable 45 = Temporary refusal 46 = Appointment 47 = Broken appointment 49 = Other |
| 1020.07 | TOTCAL5 | 02 | | TOT_CALL | NUMBER OF ATTEMPTS TO CONTACT RESPONDENT 00..89 = Number of attempts |
| 1021 | LEN_INTV | 04 | all | LEN_INTV | LENGTH OF INTERVIEW IN MINUTES 0000..9999 = Minutes |
| 1022 | MON_IND | 01 | all | MON_IND | MONITORING INDICATOR - SET IN SMS 0 = Unmonitored 1 = Monitored |
| 1023 | DAT_IND | 01 | all | DAT_IND | VALUES OF CRITCHEK DATE GAPS RUN 0 = Success 1 = Fail |
| 1024 | RET_IND | 01 | all | RET_IND | RETRIEVAL INDICATOR 0 = Not flagged - default 1 = Flagged for retrieval 2 = Reviewed, sent to phone shop 3 = Retrieval done in phone shop 4 = Retrieval date CADED 5 = Retrieval not possible 6 = Retrieval not necessary |

| | | | | | | |
|------|----------|----|-----|----------|---------------|---|
| 1025 | LOC_FLG | 01 | all | LOC_FLG | LOCATOR FLAG | 0 = No locating problem 1 = MAINDISP or FLD_DSP=33 |
| 1026 | LAN_FLG | 01 | all | LAN_FLG | LANGUAGE FLAG | 0 = No language problem 1 = MAINDISP or FLD_DSP=43 |
| 1027 | PROB_FLG | 01 | all | PROB_FLG | PROBLEM FLAG | 0 = Never a problem case 1 = MAINDISP = 69 8 = Case is a final partial 9 = Failed CRITCHEK, complete |

[1]: Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.

[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

| Variable | | | Base [2] | Reference Name | Codebook for SAS data sets - Experimental sample segments |
|----------|----------|-----------|----------|----------------|--|
| Number | Name | Width [1] | | | Descriptive text, allowed values and skip instructions |
| 1028 | OVER_IND | 01 | all | OVER_IND | DOES ANY PART OF CRITCHEK FAIL? 0 = No 1 = Yes |
| 1029 | TIMECUML | 04 | all | TIMECUML | CUMULATIVE SECONDS SPENT IN CATI/CADE 0000..9999 = Seconds |
| 1030 | VAL_IND | 01 | all | VAL_IND | VALIDATION INDICATOR 0 = Not flagged - default 1 = Flagged for validation 2 = Validation in progress 3 = Validation complete 4 = Validation not possible 5 = Case did not validate |
| 1031 | INT_TYPE | 04 | all | INT_TYPE | INDICATOR SET TO "CATI" OR "CADE" |
| 1032 | DATE_FIN | 07 | all | DATE_FIN | DDMMYY CASE GIVEN FINAL DISPOSITION |
| 1033 | CRIT_CNT | 03 | all | CRIT_CNT | CRITICAL ITEMS COUNT FOR CATI/CADE 000..100 = Number |
| 1034 | WKS_RLSD | 02 | all | WKS_RLSD | NUMBER OF WEEKS SINCE CASE RELEASED |
| 1035 | PRCNT_CO | 06 | all | PRCNT_CO | PERCENT OF CALENDAR COMPLETE (From critchek item SMS) |
| 1036 | SAMP_TYP | 01 | all | SAMPTYPE | SAMPLE TYPE 1 = Treatment 2 = Control 3 = ENP |
| 1037 | TARG_GRP | 01 | all | TARG_GRP | TARGET GROUP 1 = Adult male 2 = Adult female 3 = Minority youth 4 = Non minority youth |

| | | | | | |
|------|----------|----|-----|----------|---|
| 1038 | PROXY | 01 | all | PROXY | INTERVIEW DONE WITH PROXY FOR RESPONDENT 0 = No 1 = Yes |
| 1039 | OLD_CRIT | 01 | all | OLD_CRIT | OLD VERSION OF CRITCHEK USED Not available for FUP2 0 = No 1 = Yes |
| 1040 | RADATE | 06 | all | RA_DATE | MMDDYY OF RA/BEGIN Random assignment/Begin date from SMS files(fp2). |

[1]: Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.
[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

| Variable | | | Base [2] | Reference Name | Codebook for SAS data sets - Experimental sample segments |
|----------|----------|-----------|----------|----------------|---|
| Number | Name | Width [1] | | | Descriptive text, allowed values and skip instructions |
| 1041 | REFDAT | 06 | all | REF_DATE | MMDDYY OF END OF REFERENCE Date case first entered CATI (end date - SMS fp2 variable). |
| 1042 | FFU_STAT | 02 | all | FFU_STAT | FIRST FOLLOW UP INTERVIEW STATUS BLANK = Not complete 75 = Complete |
| 1043 | INT_DISP | 02 | all | INT_DISP | CATI/CADE DISPOSITION 00 = Ready for CATI (virgin case) 05 = Sent to FIELD 10 = Ready for CADE 15 = CATI/CADE breakoff 20 = Ready for verification 25 = Verification breakoff 30 = Ready for CRIT CHECK 35 = Error during CRIT CHECK 40 = Ready for retrieval entry 45 = Retrieval entry breakoff 50 = Ready for I/O coding 55 = I/O coding breakdown 60 = Ready for verbatim review 65 = Problem case 70 = Ready for UPLOAD 75 = Case uploaded |
| 1044 | DATAID | 04 | all | DATA_ID | DATA RESPONSE FLAGS FOR THE SAMPLE The multiple 0/1 values of this encoded variable represent data response flags for the sample. |

| | | | | | | |
|--|--|--|--|--|--|--|
| | | | | | | |
|--|--|--|--|--|--|--|

[1]: Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.
[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

[illegible]

| | | | | | | |
|--|--|--|--|--|--|--|
| | | | | | | |
|--|--|--|--|--|--|--|

[1]: Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.
[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

