

other_contents.log

log: k: \JTPA NatEval \B- Working Files\Contents&Means\expfup2\other_contents.log
 log type: text
 opened on: 26 Apr 2004, 13:33:49

. describe;

Contains data from k: \JTPA NatEval \A- Original Files\expfup2\other.dta

obs: 5,468
 vars: 153 9 Dec 2002 09:22
 size: 1,771,632 (99.3% of memory free)

variable name	storage type	display format	value label	variable label
age	str2	%2s		
bifid	float	%9.0g		
bifrsp	float	%9.0g		
dobdd	str2	%2s		
dobmm	str2	%2s		
dobyy	str2	%2s		
eligdd	str2	%2s		
eligmm	str2	%2s		
eligyy	str2	%2s		
f2a5f1	str1	%1s		
f2a5f2	str1	%1s		
f2a5f3	str1	%1s		
f2a5f4	str1	%1s		
f2a5g1	str1	%1s		
f2a5g2	str1	%1s		
f2a5g3	str1	%1s		
f2a5g4	str1	%1s		
f2box25	str1	%1s		
f2box26	str1	%1s		
f2box27	str1	%1s		
f2box28	str1	%1s		
f2chcnt1	str2	%2s		
f2chcnt2	str2	%2s		
f2chcnt3	str2	%2s		
f2ctscnt	str2	%2s		
f2ctsop	str1	%1s		
f2ctssup	str1	%1s		
f2h1	str1	%1s		
f2h2	str1	%1s		
f2h3	str1	%1s		
f2h4	str1	%1s		
f2h5	str1	%1s		
f2h5a	str9	%9s		
f2h6	str1	%1s		
f2h6a	str25	%25s		
f2h6b	str15	%15s		
f2h7	str1	%1s		
f2h8	str1	%1s		
f2h8a	str3	%3s		
f2h8b	str1	%1s		
f2h9	str1	%1s		
f2h9a	str3	%3s		
f2h9b1a	str2	%2s		
f2h9b1b	str2	%2s		
f2h9b1c	str2	%2s		
f2h9b1d	str2	%2s		
f2h9b1e	str2	%2s		
f2h9b1f	str2	%2s		

other_contents.log

f2h9b1g	str2	%2s
f2h9b1h	str2	%2s
f2h9b1i	str2	%2s
f2h9b1j	str2	%2s
f2h9b1k	str2	%2s
f2h9b1l	str2	%2s
f2h9b1m	str2	%2s
f2h9b1n	str2	%2s
f2h9b1o	str2	%2s
f2h9b1p	str2	%2s
f2h9b1q	str2	%2s
f2h9b1r	str2	%2s
f2h9b1s	str2	%2s
f2h9b1t	str2	%2s
f2h9b1u	str2	%2s
f2h9b1v	str2	%2s
f2h9b1w	str2	%2s
f2h9b1x	str2	%2s
f2h9b2a	str2	%2s
f2h9b2b	str2	%2s
f2h9b2c	str2	%2s
f2h9b2d	str2	%2s
f2h9b2e	str2	%2s
f2h9b2f	str2	%2s
f2h9b2g	str2	%2s
f2h9b2h	str2	%2s
f2h9b2i	str2	%2s
f2h9b2j	str2	%2s
f2h9b2k	str2	%2s
f2h9b2l	str2	%2s
f2h9b2m	str2	%2s
f2h9b2n	str2	%2s
f2h9b2o	str2	%2s
f2h9b2p	str2	%2s
f2h9b2q	str2	%2s
f2h9b2r	str2	%2s
f2h9b2s	str2	%2s
f2h9b2t	str2	%2s
f2h9b2u	str2	%2s
f2h9b2v	str2	%2s
f2h9b2w	str2	%2s
f2h9b2x	str2	%2s
f2h9b3a	str2	%2s
f2h9b3b	str2	%2s
f2h9b3c	str2	%2s
f2h9b3d	str2	%2s
f2h9b3e	str2	%2s
f2h9b3f	str2	%2s
f2h9b3g	str2	%2s
f2h9b3h	str2	%2s
f2h9b3i	str2	%2s
f2h9b3j	str2	%2s
f2h9b3k	str2	%2s
f2h9b3l	str2	%2s
f2h9b3m	str2	%2s
f2h9b3n	str2	%2s
f2h9b3o	str2	%2s
f2h9b3p	str2	%2s
f2h9b3q	str2	%2s
f2h9b3r	str2	%2s
f2h9b3s	str2	%2s
f2h9b3t	str2	%2s
f2h9b3u	str2	%2s
f2h9b3v	str2	%2s

other_contents.log

f2h9b3w	str2	%2s
f2h9b3x	str2	%2s
f2h9c	str1	%1s
f2h10	str2	%2s
f2h11a	str2	%2s
f2h11b	str2	%2s
f2h11c	str2	%2s
f2h11d	str2	%2s
f2h12	str1	%1s
f2h13	str1	%1s
f2h14	str1	%1s
f2h15cnt	str2	%2s
f2h15mor	str1	%1s
f2h16	str1	%1s
f2h17cnt	str2	%2s
f2h17mor	str1	%1s
f2h18	str1	%1s
f2hmi ss	str1	%1s
f2hshut	str1	%1s
f2i ntlen	str3	%3s
f2othop	str1	%1s
f2othsp	str1	%1s
f2otop	str1	%1s
f2otshut	str1	%1s
fup1dd	str2	%2s
fup1mm	str2	%2s
fup1yy	str2	%2s
inttyp	str1	%1s
intvdd	str2	%2s
intvmm	str2	%2s
intvyy	str2	%2s
offi ce	str2	%2s
race	str1	%1s
recid	str6	%6s
sample	str3	%3s
sda	str2	%2s
segmen	str2	%2s
sex	str1	%1s
state	str2	%2s
survey	str3	%3s
target	str1	%1s

Sorted by:

```
. log close;
  log: k:\JTPA NatEval\B-Working Files\Contents&Means\expfup2\other_contents.log
  log type: text
  closed on: 26 Apr 2004, 13:33:49
```