

Variable			Base [2]	Reference Name	Codebook for SAS data sets - Experimental sample.
Number	Name	Width [1]			Descriptive text, allowed values and skip instructions
					MONTHLY VARIABLE CODEBOOK VARIABLES: ISCHRS00-ISCHRS32 IMPUTATION FLAG FOR SCHHRS
3600	RECID	06	all	RECID	INDIVIDUAL RECORD IDENTIFIER. UNIQUE PROJECT ID FOR EACH RESPONDENT. 100000..199999 = UNIQUE PROJECT ID
3601	PRO_IND	03	all	PRO_IND	PROCESSING FIELD ENTRY PROCESSING FLAG. PLEASE IGNORE.
3602	ISCHRS		all	ISCHRS	IMPUTATION FLAG FOR SCHHRS WAS AN IMPUTED VALUE USED FOR SCHHRS? NOTE: 1. EACH OF THE ISCHRS VARIABLES IS EXACTLY ALIKE IN CHARACTER AND FORMAT. THE VALUE RANGES FOR MONTHS 01-32 HAVE BEEN OMITTED. THESE MAY BE REFERENCED BY THE VALUE RANGES AND DESCRIPTIONS FOR ISCHRS00. 2. THE ISCHRS MONTHLY VARIABLES OCCUPY A DATA BLOCK 066 CHARACTERS. IN SAS DATA SETS THESE VARIABLES ARE IN CHARACTER FORMAT. IN ASCII DATA SETS THIS SET OF VARIABLES STARTS OUT AT COLUMN 10.
3602.01	ISCHRS00	02		ISCHRS00	IMPUTATION FLAG: SCHHRS00 WAS AN IMPUTED VALUE USED FOR SCHHRS00? BLANK = BLANK, N/A, NULL ENTRY 00 = NO 01 = YES
3602.02	ISCHRS01	02		ISCHRS01	IMPUTATION FLAG: SCHHRS01
3602.03	ISCHRS02	02		ISCHRS02	IMPUTATION FLAG: SCHHRS02
3602.04	ISCHRS03	02		ISCHRS03	IMPUTATION FLAG: SCHHRS03
3602.05	ISCHRS04	02		ISCHRS04	IMPUTATION FLAG: SCHHRS04
3602.06	ISCHRS05	02		ISCHRS05	IMPUTATION FLAG: SCHHRS05

3602.07	ISCHRS06	02		ISCHRS06	IMPUTATION FLAG: SCHHRS06
3602.08	ISCHRS07	02		ISCHRS07	IMPUTATION FLAG: SCHHRS07
3602.09	ISCHRS08	02		ISCHRS08	IMPUTATION FLAG: SCHHRS08
3602.10	ISCHRS09	02		ISCHRS09	IMPUTATION FLAG: SCHHRS09
3602.11	ISCHRS10	02		ISCHRS10	IMPUTATION FLAG: SCHHRS10
3602.12	ISCHRS11	02		ISCHRS11	IMPUTATION FLAG: SCHHRS11

[1]: Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.

[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

Variable			Base [2]	Reference Name	Codebook for SAS data sets - Experimental sample.
Number	Name	Width [1]			Descriptive text, allowed values and skip instructions
3602.13	ISCHRS12	02		ISCHRS12	IMPUTATION FLAG: SCHHRS12
3602.14	ISCHRS13	02		ISCHRS13	IMPUTATION FLAG: SCHHRS13
3602.15	ISCHRS14	02		ISCHRS14	IMPUTATION FLAG: SCHHRS14
3602.16	ISCHRS15	02		ISCHRS15	IMPUTATION FLAG: SCHHRS15
3602.17	ISCHRS16	02		ISCHRS16	IMPUTATION FLAG: SCHHRS16
3602.18	ISCHRS17	02		ISCHRS17	IMPUTATION FLAG: SCHHRS17
3602.19	ISCHRS18	02		ISCHRS18	IMPUTATION FLAG: SCHHRS18
3602.20	ISCHRS19	02		ISCHRS19	IMPUTATION FLAG: SCHHRS19
3602.21	ISCHRS20	02		ISCHRS20	IMPUTATION FLAG: SCHHRS20
3602.22	ISCHRS21	02		ISCHRS21	IMPUTATION FLAG: SCHHRS21
3602.23	ISCHRS22	02		ISCHRS22	IMPUTATION FLAG: SCHHRS22
3602.24	ISCHRS23	02		ISCHRS23	IMPUTATION FLAG: SCHHRS23
3602.25	ISCHRS24	02		ISCHRS24	IMPUTATION FLAG: SCHHRS24
3602.26	ISCHRS25	02		ISCHRS25	IMPUTATION FLAG: SCHHRS25
3602.27	ISCHRS26	02		ISCHRS26	IMPUTATION FLAG: SCHHRS26
3602.28	ISCHRS27	02		ISCHRS27	IMPUTATION FLAG: SCHHRS27
3602.29	ISCHRS28	02		ISCHRS28	IMPUTATION FLAG: SCHHRS28

3602.30	ISCHRS29	02		ISCHRS29	IMPUTATION FLAG: SCHHRS29
3602.31	ISCHRS30	02		ISCHRS30	IMPUTATION FLAG: SCHHRS30
3602.32	ISCHRS31	02		ISCHRS31	IMPUTATION FLAG: SCHHRS31

[1]: Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.

[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

--	--	--	--	--	--

[1]: Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.
[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

