

Variable			Base [2]	Reference Name	Codebook for SAS data sets - ENP Sample segments(waves 1 &2)
Number	Name	Width [1]			Descriptive text, allowed values and skip instructions
					FOLLOW-UP SURVEY SOURCE DATA SEGMENT FROM SECTION B: BJOB
1000	F1JBOP	01	all	F1JBOP	IGNORE, USED FOR DATA PROCESSING
1010	F1JBSQ	02	all	F1JBSQ	SEQUENCE NUMBER OF SPELL
1020	F1JOBS	01	all	F1BOX1	ANY JOBS LISTED? 1 = YES 2 = NO 9 = MISSING GOTO 1270
1030	F1JBLG	01	1020 = 1 9	F1JBLG	IGNORE, USED FOR DATA PROCESSING
1040	F1JBMS	01	1020 = 1 9	F1JBMS	IGNORE, USED FOR DATA PROCESSING
1050	F1JOB DAT		1020 = 1 9	B2	JOB_i: START AND STOP DATES START DATES AND STOP DATES FOR JOB SPELLS IN SECTION B.
1050.01	F1BJBY	02		F1B2BY	JOB_i: BEGIN YEAR BLANK = N/A 75..91 = YEAR 97 = REFUSED 98 = DON'T KNOW 99 = MISSING
1050.02	F1BJBM	02		F1B2BM	JOB_i: BEGIN MONTH BLANK = N/A 01..12 = MONTH 15 = WINTER 16 = SPRING 17 = SUMMER 18 = FALL 97 = REFUSED 98 = DON'T KNOW

				99 = MISSING	
1050.03	F1BJBDD	02	F1B2BDD	JOB_i: BEGIN DAY	
				BLANK = N/A	
				01..31 = DAY	
				92 = BEGIN MONTH	
				93 = MIDDLE MONTH	
				94 = END MONTH	
				97 = REFUSED	
				98 = DON'T KNOW	
				99 = MISSING	
1050.04	F1EJBYY	02	F1B2EYY	JOB_i: END YEAR	
				BLANK = N/A	
				87..91 = YEAR	
				96 = STILL WORKING	
				97 = REFUSED	
				98 = DON'T KNOW	
				99 = MISSING	

[1]: Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.

[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

Variable			Base [2]	Reference Name	Codebook for SAS data sets - ENP Sample segments(waves 1 &2)
Number	Name	Width [1]			Descriptive text, allowed values and skip instructions
1050.05	F1EJBMM	02		F1B2EMM	JOB_i: END MONTH BLANK = N/A 01..12 = MONTH 15 = WINTER 16 = SPRING 17 = SUMMER 18 = FALL 96 = STILL WORKING 97 = REFUSED 98 = DONT KNOW 99 = MISSING
1050.06	F1EJBDD	02		F1B2EDD	JOB_i: END DAY BLANK = N/A 01..31 = DAY 92 = BEGIN MONTH 93 = MIDDLE MONTH 94 = END MONTH 96 = STILL WORKING 97 = REFUSED 98 = DON'T KNOW 99 = MISSING
1060	F1EMNM	40	1020 = 1 9	F1B2A	JOB_i: EMPLOYER NAME NAME OF EMPLOYER FOR THIS JOB SPELL.
1070	F1HWJB	02	1020 = 1 9	F1B3	JOB_i: HOURS WORKED PER WEEK HOURS PER WEEK WORKED ON THIS JOB, NOT COUNTING OVERTIME BLANK = N/A 00 = UNDER 1/2 HOUR 01..95 = HOURS 96 = 96 HOURS OR MORE 97 = REFUSED 98 = DON'T KNOW 99 = MISSING
1080	F1PHJB	01	1020 = 1 9	F1B4	JOB_i: PAID BY THE HOUR? IS/WAS THE RESPONDENT PAID BY THE HOUR? BLANK = N/A 1 = YES 2 = NO 3 = WORKING WITHOUT PAY 7 = REFUSED 8 = DON'T KNOW 9 = MISSING GOTO 1120 GOTO 1260 GOTO 1120 GOTO 1120

1090	F1SWJB	04	1020 =	F1B4A	JOB_i: STARTING WAGE
			1		WHAT IS/WAS THE STARTING WAGE RATE IN CENTS FOR THIS JOB
			9		SPELL?
			1080 =		BLANK = N/A
			BLANK		0001..2000 = HOURLY WAGE
			1		9996 = 2001 OR MORE
			9		9997 = REFUSED
					9998 = DON'T KNOW
					9999 = MISSING

[1]: Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.

[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

Variable			Base [2]	Reference Name	Codebook for SAS data sets - ENP Sample segments(waves 1 &2)
Number	Name	Width [1]			Descriptive text, allowed values and skip instructions
1100	F1EWJB	04	1020 = 1 9 1080 = BLANK 1 9	F1B4B	JOB_i: ENDING WAGE WHAT IS/WAS THE ENDING WAGE RATE IN CENTS FOR THIS JOB SPELL?  BLANK = N/A 0001..2000 = HOURLY WAGE 9996 = 2001 OR MORE 9997 = REFUSED 9998 = DON'T KNOW 9999 = MISSING
1110	F1BOX1X	01	1020 = 1 9 1080 = BLANK 1 9	F1BOX1X	JOB_i: WAGES REFUSED OR NOT KNOWN WERE STARTING OR ENDING WAGES REFUSED OR NOT KNOWN?  BLANK = N/A 1 = YES 2 = NO 9 = MISSING 9 = MISSING  GOTO 1180
1120	F1PRJB	02	1020 = 1 9 1080 = BLANK 1 2 7 8 9 1110 = BLANK 1 9 9	F1B5	JOB_i: PAY PERIOD WHAT IS/WAS THE RESPONDENT'S PAY SCHEDULE WHILE AT THIS JOB?  BLANK = N/A 01 = DAILY 02 = WEEKLY 03 = EVERY TWO WEEKS 04 = TWICE A MONTH 05 = MONTHLY 96 = OTHER 97 = REFUSED 98 = DON'T KNOW 99 = MISSING  GOTO 1140 GOTO 1160 GOTO 1160 GOTO 1160 GOTO 1160
1130	F1NUJB	03	1020 = 1 9 1080 = BLANK 1 2 7 8 9 1110 = BLANK 1 9	F1B5A	JOB_i: # OF TIMES PAID WHAT IS/WAS THE APPROXIMATE NUMBER OF TIMES THAT THE RESPONDENT GOT PAID AT THIS JOB?  BLANK = N/A 000 = NEW HIRE 001..350 = NUMBER 996 = 351 OR MORE 997 = REFUSED 998 = DON'T KNOW 999 = MISSING

			9 1120 = BLANK 96 97 98 99		
--	--	--	--	--	--

[1]: Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.  
[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

Variable			Base [2]	Reference Name	Codebook for SAS data sets - ENP Sample segments(waves 1 &2)
Number	Name	Width [1]			Descriptive text, allowed values and skip instructions
1140	F1DWJB	02	1020 = 1 9 1080 = BLANK 1 2 7 8 9 1110 = BLANK 1 9 9 1120 = BLANK 01 96 97 98 99	F1B6	JOB_i: DAYS WORKED PER WEEK ON AVERAGE, HOW MANY DAYS PER WEEK DID/DOES THE RESPONDENT WORK AT THIS JOB? BLANK = N/A 01..07 = DAYS 97 = REFUSED 98 = DON'T KNOW 99 = MISSING
1150	F1HDJB	02	1020 = 1 9 1080 = BLANK 1 2 7 8 9 1110 = BLANK 1 9 9 1120 = BLANK 01 96 97 98 99	F1B7	JOB_i: HOURS WORKED PER DAY ON AVERAGE, HOW MANY HOURS PER DAY DID/DOES THE RESPONDENT WORK AT THIS JOB? BLANK = N/A 00 = UNDER 1/2 HOUR 01..24 = HOURS 97 = REFUSED 98 = DON'T KNOW 99 = MISSING
1160	F1PYJB	05	1020 = 1 9	F1B8	JOB_i: GROSS PAY PER PERIOD EXCLUDING OVERTIME, HOW MUCH IS/WAS EARNED AT THIS JOB PER PAY PERIOD, BEFORE TAXES AND OTHER DEDUCTIONS?

			1080 =		BLANK = N/A	
			BLANK		00001..30000 = DOLLARS	
			1		99996 = 30001 OR MORE	
			2		99997 = REFUSED	GOTO 1180
			7		99998 = DON'T KNOW	GOTO 1180
			8		99999 = MISSING	
			9			
			1110 =			
			BLANK			
			1			
			9			
			9			

[1]: Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.  
[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.



Variable			Base [2]	Reference Name	Codebook for SAS data sets - ENP Sample segments(waves 1 &2)
Number	Name	Width [1]			Descriptive text, allowed values and skip instructions
1170	F1PYNT	01	1020 = 1 9 1080 = BLANK 1 2 7 8 9 1110 = BLANK 1 9 9 1160 = BLANK 00001..3 99996 99999	F1B8A	JOB_i: PAY NET OR GROSS? IS/WAS THE RESPONDENT'S PAY NET OR GROSS? BLANK = N/A 1 = GROSS 2 = NET 7 = REFUSED 8 = DON'T KNOW 9 = MISSING
1180	F1OTJB	01	1020 = 1 9 1080 = BLANK 1 2 7 8 9	F1B9	JOB_i: OVERTIME DOES/DID THE RESPONDENT WORK ANY PAID OVERTIME ON THIS JOB? BLANK = N/A 1 = YES 2 = NO 7 = REFUSED 8 = DON'T KNOW 9 = MISSING GOTO 1210 GOTO 1210 GOTO 1210
1190	F1OHJB	02	1020 = 1 9 1080 = BLANK 1 2 7 8 9 1180 = BLANK 1 9	F1B9A	JOB_i: OVERTIME HOURS PER WEEK TOTAL OVERTIME HOURS WORKED BY THE RESPONDENT IN AN AVERAGE WEEK ON THIS JOB. BLANK = N/A 00 = UNDER 1/2 HOUR 01..50 = HOURS 96 = 51 HOURS OR MORE 97 = REFUSED 98 = DON'T KNOW 99 = MISSING
1200	F1OPJB	04	1020 =	F1B9B	JOB_i: GROSS OVERTIME PAY

			1		TOTAL OVERTIME EARNINGS IN AN AVERAGE WEEK
			9		PRIOR TO TAXES AND OTHER DEDUCTIONS.
			1080	=	BLANK = N/A
			BLANK		0001..9000 = DOLLARS
			1		9996 = ABOVE 9000 DOLLARS
			2		9997 = REFUSED
			7		9998 = DON'T KNOW
			8		9999 = MISSING
			9		
			1180	=	
			BLANK		
			1		
			9		

[1]: Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.  
[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

Variable			Base [2]	Reference Name	Codebook for SAS data sets - ENP Sample segments(waves 1 &2)
Number	Name	Width [1]			Descriptive text, allowed values and skip instructions
1210	F1TPJB	01	1020 = 1 9 1080 = BLANK 1 2 7 8 9	F1B10	JOB_i: TIPS & BONUSES ETC DID/DOES THE RESPONDENT RECEIVE ANY OTHER PAYMENT FROM THIS JOB SUCH AS BONUSES, TIPS, COMMISSIONS OR HAZARDOUS DUTY PAY?  BLANK = N/A 1 = YES 2 = NO 7 = REFUSED 8 = DON'T KNOW 9 = MISSING  GOTO 1240 GOTO 1240 GOTO 1240
1220	F1TPWK	03	1020 = 1 9 1080 = BLANK 1 2 7 8 9 1210 = BLANK 1 9	F1B10A	JOB_i: WEEKS RECEIVED TIPS ETC FOR HOW MANY WEEKS WAS THIS PAYMENT RECEIVED?  BLANK = N/A 000 = NONE 001..900 = WEEKS 996 = EVERY WEEK 997 = REFUSED 998 = DON'T KNOW 999 = MISSING
1230	F1TPAM	05	1020 = 1 9 1080 = BLANK 1 2 7 8 9 1210 = BLANK 1 9	F1B10B	JOB_i: AMOUNT OF TIPS PER WEEK. IN A TYPICAL WEEK, WHAT IS/WAS THE AMOUNT OF THESE OTHER PAYMENTS THAT THE RESPONDENT RECEIVED FOR WORKING ON THIS JOB FROM DATE JOB STARTED/BEGIN DATE (WHICHEVER IS LATER) TO DATE JOB STOPPED?  BLANK = N/A 00001..20000 = DOLLARS 99996 = 20001 OR MORE 99997 = REFUSED 99998 = DON'T KNOW 99999 = MISSING
1240	F1WPJB	01	1020 = 1 9 1080 = BLANK 1 2	F1B11	JOB_i: ANY WEEKS WITHOUT WORK FOR PAY WERE THERE ANY WEEKS IN WHICH THE RESPONDENT DID NOT WORK FOR PAY AT THIS JOB?  BLANK = N/A 1 = YES 2 = NO 7 = REFUSED  GOTO 1260 GOTO 1260

			7		8 = DON'T KNOW	GOTO 1260
			8		9 = MISSING	
			9			
1250	F1WKWP	03	1020 =	F1B12	JOB_i: WEEKS WITHOUT WORK FOR PAY	
			1		BLANK = N/A	
			9		000 = LESS THAN ONE WEEK	
			1080 =		001..104 = WEEKS	
			BLANK		996 = 105 OR MORE	
			1		997 = REFUSED	
			2		998 = DON'T KNOW	
			7		999 = MISSING	
			8			
			9			
			1240 =			
			BLANK			
			1			
			9			

[1]: Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.

[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

[illegible]

--	--	--	--	--	--

[1]: Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.  
[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.



--	--	--	--	--	--

[1]: Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.  
[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.



