

Variable			Base [2]	Reference Name	Codebook for SAS data sets - Experimental sample.
Number	Name	Width [1]			Descriptive text, allowed values and skip instructions
1200	RECID	06	all	RECID	MONTHLY VARIABLE CODEBOOK VARIABLES: EVEMPL00-EVEMPL32 WAS RESPONDENT EVER EMPLOYED DURING MONTH? INDIVIDUAL RECORD IDENTIFIER UNIQUE PROJECT ID FOR EACH RESPONDENT. 100000..199999 = UNIQUE PROJECT ID
1201	PRO_IND	03	all	PRO_IND	PROCESSING FIELD ENTRY PROCESSING FLAG. PLEASE IGNORE.
1202	EVEMPL		all	EVEMPL	RESPONDENT EVER EMPLOYED DURING MONTH WAS RESPONDENT (R) EVER EMPLOYED DURING MONTH? NOTE: 1. EACH OF THE EVEMPL VARIABLES IS EXACTLY ALIKE IN CHARACTER AND FORMAT. THE VALUE RANGES FOR MONTHS 01-32 HAVE BEEN OMITTED. THESE MAY BE REFERENCED BY THE VALUE RANGES AND DESCRIPTIONS FOR EVEMPL00. 2. THE EVEMPL MONTHLY VARIABLES OCCUPY A DATA BLOCK OF 033 CHARACTERS. IN SAS DATA SETS THESE VARIABLES ARE IN CHARACTER FORMAT. IN ASCII DATA SETS THIS SET OF VARIABLES STARTS OUT AT COLUMN 10.
1202.01	EVEMPL00	01		EVEMPL00	EVER EMPLOYED: MONTH 00 (RA) WAS RESPONDENT (R) EVER EMPLOYED DURING MONTH OF RANDOM ASSIGNMENT (MONTH 00)? BLANK = BLANK, N/A, NULL ENTRY 0 = NO 1 = YES 4 = NOT COMPUTED, INVALID DATES 5 = BEYOND INTERVIEW DATE
1202.02	EVEMPL01	01		EVEMPL01	EVER EMPLOYED: MONTH 01
1202.03	EVEMPL02	01		EVEMPL02	EVER EMPLOYED: MONTH 02
1202.04	EVEMPL03	01		EVEMPL03	EVER EMPLOYED: MONTH 03
1202.05	EVEMPL04	01		EVEMPL04	EVER EMPLOYED: MONTH 04

1202.06	EVEMPL05	01		EVEMPL05	EVER EMPLOYED: MONTH 05
1202.07	EVEMPL06	01		EVEMPL06	EVER EMPLOYED: MONTH 06
1202.08	EVEMPL07	01		EVEMPL07	EVER EMPLOYED: MONTH 07
1202.09	EVEMPL08	01		EVEMPL08	EVER EMPLOYED: MONTH 08
1202.10	EVEMPL09	01		EVEMPL09	EVER EMPLOYED: MONTH 09
1202.11	EVEMPL10	01		EVEMPL10	EVER EMPLOYED: MONTH 10

[1]: Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.

[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

Variable			Base [2]	Reference Name	Codebook for SAS data sets - Experimental sample.
Number	Name	Width [1]			Descriptive text, allowed values and skip instructions
1202.12	EVEMPL11	01		EVEMPL11	EVER EMPLOYED: MONTH 11
1202.13	EVEMPL12	01		EVEMPL12	EVER EMPLOYED: MONTH 12
1202.14	EVEMPL13	01		EVEMPL13	EVER EMPLOYED: MONTH 13
1202.15	EVEMPL14	01		EVEMPL14	EVER EMPLOYED: MONTH 14
1202.16	EVEMPL15	01		EVEMPL15	EVER EMPLOYED: MONTH 15
1202.17	EVEMPL16	01		EVEMPL16	EVER EMPLOYED: MONTH 16
1202.18	EVEMPL17	01		EVEMPL17	EVER EMPLOYED: MONTH 17
1202.19	EVEMPL18	01		EVEMPL18	EVER EMPLOYED: MONTH 18
1202.20	EVEMPL19	01		EVEMPL19	EVER EMPLOYED: MONTH 19
1202.21	EVEMPL20	01		EVEMPL20	EVER EMPLOYED: MONTH 20
1202.22	EVEMPL21	01		EVEMPL21	EVER EMPLOYED: MONTH 21
1202.23	EVEMPL22	01		EVEMPL22	EVER EMPLOYED: MONTH 22
1202.24	EVEMPL23	01		EVEMPL23	EVER EMPLOYED: MONTH 23
1202.25	EVEMPL24	01		EVEMPL24	EVER EMPLOYED: MONTH 24
1202.26	EVEMPL25	01		EVEMPL25	EVER EMPLOYED: MONTH 25
1202.27	EVEMPL26	01		EVEMPL26	EVER EMPLOYED: MONTH 26
1202.28	EVEMPL27	01		EVEMPL27	EVER EMPLOYED: MONTH 27

1202.29	EVEMPL28	01		EVEMPL28	EVER EMPLOYED: MONTH 28
1202.30	EVEMPL29	01		EVEMPL29	EVER EMPLOYED: MONTH 29
1202.31	EVEMPL30	01		EVEMPL30	EVER EMPLOYED: MONTH 30
1202.32	EVEMPL31	01		EVEMPL31	EVER EMPLOYED: MONTH 31

[1]: Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.

[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

--	--	--	--	--	--

[1]: Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.
[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

