

Variable			Base [2]	Reference Name	Codebook for SAS data sets - Experimental sample.
Number	Name	Width [1]			Descriptive text, allowed values and skip instructions
					MONTHLY VARIABLE CODEBOOK VARIABLES: ITOTHR00-ITOTHR32 IMPUTATION FLAG FOR TOTHRs
3400	RECID	06	all	RECID	INDIVIDUAL RECORD IDENTIFIER. UNIQUE PROJECT ID FOR EACH RESPONDENT. 100000..199999 = UNIQUE PROJECT ID
3401	PRO_IND	03	all	PRO_IND	PROCESSING FIELD ENTRY PROCESSING FLAG. PLEASE IGNORE.
3402	ITOTHR		all	ITOTHR	IMPUTATION FLAG FOR TOTHRs WAS AN IMPUTED VALUE USED FOR TOTHRs? NOTE: 1. EACH OF THE ITOTHR VARIABLES IS EXACTLY ALIKE IN CHARACTER AND FORMAT. THE VALUE RANGES FOR MONTHS 01-32 HAVE BEEN OMITTED. THESE MAY BE REFERENCED BY THE VALUE RANGES AND DESCRIPTIONS FOR ITOTHR00. 2. THE ITOTHR MONTHLY VARIABLES OCCUPY A DATA BLOCK 066 CHARACTERS. IN SAS DATA SETS THESE VARIABLES ARE IN CHARACTER FORMAT. IN ASCII DATA SETS THIS SET OF VARIABLES STARTS OUT AT COLUMN 10.
3402.01	ITOTHR00	02		ITOTHR00	IMPUTATION FLAG: TOTHRs00 WAS AN IMPUTED VALUE USED FOR TOTHRs00? BLANK = BLANK, N/A, NULL ENTRY 00 = NO 01 = IMPUTED FROM REGHRS 02 = IMPUTED FROM OTHER MONTHS 03 = IMPUTED FROM REGRESSION 04 = SET TO EXTREME VALUE LIMIT
3402.02	ITOTHR01	02		ITOTHR01	IMPUTATION FLAG: TOTHRs01
3402.03	ITOTHR02	02		ITOTHR02	IMPUTATION FLAG: TOTHRs02
3402.04	ITOTHR03	02		ITOTHR03	IMPUTATION FLAG: TOTHRs03
3402.05	ITOTHR04	02		ITOTHR04	IMPUTATION FLAG: TOTHRs04

3402.06	ITOTHR05	02		ITOTHR05	IMPUTATION FLAG: TOTHR05
3402.07	ITOTHR06	02		ITOTHR06	IMPUTATION FLAG: TOTHR06
3402.08	ITOTHR07	02		ITOTHR07	IMPUTATION FLAG: TOTHR07
3402.09	ITOTHR08	02		ITOTHR08	IMPUTATION FLAG: TOTHR08
3402.10	ITOTHR09	02		ITOTHR09	IMPUTATION FLAG: TOTHR09
3402.11	ITOTHR10	02		ITOTHR10	IMPUTATION FLAG: TOTHR10

[1]: Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.

[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

Variable			Base [2]	Reference Name	Codebook for SAS data sets - Experimental sample.
Number	Name	Width [1]			Descriptive text, allowed values and skip instructions
3402.12	ITOTHR11	02		ITOTHR11	IMPUTATION FLAG: TOTHR11
3402.13	ITOTHR12	02		ITOTHR12	IMPUTATION FLAG: TOTHR12
3402.14	ITOTHR13	02		ITOTHR13	IMPUTATION FLAG: TOTHR13
3402.15	ITOTHR14	02		ITOTHR14	IMPUTATION FLAG: TOTHR14
3402.16	ITOTHR15	02		ITOTHR15	IMPUTATION FLAG: TOTHR15
3402.17	ITOTHR16	02		ITOTHR16	IMPUTATION FLAG: TOTHR16
3402.18	ITOTHR17	02		ITOTHR17	IMPUTATION FLAG: TOTHR17
3402.19	ITOTHR18	02		ITOTHR18	IMPUTATION FLAG: TOTHR18
3402.20	ITOTHR19	02		ITOTHR19	IMPUTATION FLAG: TOTHR19
3402.21	ITOTHR20	02		ITOTHR20	IMPUTATION FLAG: TOTHR20
3402.22	ITOTHR21	02		ITOTHR21	IMPUTATION FLAG: TOTHR21
3402.23	ITOTHR22	02		ITOTHR22	IMPUTATION FLAG: TOTHR22
3402.24	ITOTHR23	02		ITOTHR23	IMPUTATION FLAG: TOTHR23
3402.25	ITOTHR24	02		ITOTHR24	IMPUTATION FLAG: TOTHR24
3402.26	ITOTHR25	02		ITOTHR25	IMPUTATION FLAG: TOTHR25
3402.27	ITOTHR26	02		ITOTHR26	IMPUTATION FLAG: TOTHR26
3402.28	ITOTHR27	02		ITOTHR27	IMPUTATION FLAG: TOTHR27

3402.29	ITOTHR28	02		ITOTHR28	IMPUTATION FLAG: TOTHR28
3402.30	ITOTHR29	02		ITOTHR29	IMPUTATION FLAG: TOTHR29
3402.31	ITOTHR30	02		ITOTHR30	IMPUTATION FLAG: TOTHR30
3402.32	ITOTHR31	02		ITOTHR31	IMPUTATION FLAG: TOTHR31

[1]: Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.

[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

--	--	--	--	--	--

[1]: Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.
[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

