

Variable			Base [2]	Reference Name	Codebook for SAS data sets - Experimental sample.
Number	Name	Width [1]			Descriptive text, allowed values and skip instructions
					MONTHLY VARIABLE CODEBOOK VARIABLES: ETOTER00-ETOTER32 EXTREME VALUE FLAG FOR TOTERN
3100	RECID	06	all	RECID	INDIVIDUAL RECORD IDENTIFIER. UNIQUE PROJECT ID FOR EACH RESPONDENT. 100000..199999 = UNIQUE PROJECT ID
3101	PRO_IND	03	all	PRO_IND	PROCESSING FIELD ENTRY PROCESSING FLAG. PLEASE IGNORE.
3102	ETOTER		all	ETOTER	EXTREME VALUE FLAG FOR TOTERN WAS TOTERN RECODED DUE TO AN EXTREME VALUE?  NOTE: 1. EACH OF THE ETOTER VARIABLES IS EXACTLY ALIKE IN CHARACTER AND FORMAT. THE VALUE RANGES FOR MONTHS 01-32 HAVE BEEN OMITTED. THESE MAY BE REFERENCED BY THE VALUE RANGES AND DESCRIPTIONS FOR ETOTER00.  2. THE ETOTER MONTHLY VARIABLES OCCUPY A DATA BLOCK 033 CHARACTERS. IN SAS DATA SETS THESE VARIABLES ARE IN CHARACTER FORMAT. IN ASCII DATA SETS THIS SET OF VARIABLES STARTS OUT AT COLUMN 10.
3102.01	ETOTER00	01		ETOTER00	EXTREME VALUE FLAG: TOTERN00 WAS TOTERN00 RECODED DUE TO AN EXTREME VALUE? BLANK = BLANK, N/A, NULL ENTRY 0 = NO 1 = YES
3102.02	ETOTER01	01		ETOTER01	EXTREME VALUE FLAG: TOTERN01
3102.03	ETOTER02	01		ETOTER02	EXTREME VALUE FLAG: TOTERN02
3102.04	ETOTER03	01		ETOTER03	EXTREME VALUE FLAG: TOTERN03
3102.05	ETOTER04	01		ETOTER04	EXTREME VALUE FLAG: TOTERN04
3102.06	ETOTER05	01		ETOTER05	EXTREME VALUE FLAG: TOTERN05

3102.07	ETOTER06	01		ETOTER06	EXTREME VALUE FLAG: TOTERN06
3102.08	ETOTER07	01		ETOTER07	EXTREME VALUE FLAG: TOTERN07
3102.09	ETOTER08	01		ETOTER08	EXTREME VALUE FLAG: TOTERN08
3102.10	ETOTER09	01		ETOTER09	EXTREME VALUE FLAG: TOTERN09
3102.11	ETOTER10	01		ETOTER10	EXTREME VALUE FLAG: TOTERN10
3102.12	ETOTER11	01		ETOTER11	EXTREME VALUE FLAG: TOTERN11

[1]: Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.

[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

Variable			Base [2]	Reference Name	Codebook for SAS data sets - Experimental sample.
Number	Name	Width [1]			Descriptive text, allowed values and skip instructions
3102.13	ETOTER12	01		ETOTER12	EXTREME VALUE FLAG: TOTERN12
3102.14	ETOTER13	01		ETOTER13	EXTREME VALUE FLAG: TOTERN13
3102.15	ETOTER14	01		ETOTER14	EXTREME VALUE FLAG: TOTERN14
3102.16	ETOTER15	01		ETOTER15	EXTREME VALUE FLAG: TOTERN15
3102.17	ETOTER16	01		ETOTER16	EXTREME VALUE FLAG: TOTERN16
3102.18	ETOTER17	01		ETOTER17	EXTREME VALUE FLAG: TOTERN17
3102.19	ETOTER18	01		ETOTER18	EXTREME VALUE FLAG: TOTERN18
3102.20	ETOTER19	01		ETOTER19	EXTREME VALUE FLAG: TOTERN19
3102.21	ETOTER20	01		ETOTER20	EXTREME VALUE FLAG: TOTERN20
3102.22	ETOTER21	01		ETOTER21	EXTREME VALUE FLAG: TOTERN21
3102.23	ETOTER22	01		ETOTER22	EXTREME VALUE FLAG: TOTERN22
3102.24	ETOTER23	01		ETOTER23	EXTREME VALUE FLAG: TOTERN23
3102.25	ETOTER24	01		ETOTER24	EXTREME VALUE FLAG: TOTERN24
3102.26	ETOTER25	01		ETOTER25	EXTREME VALUE FLAG: TOTERN25
3102.27	ETOTER26	01		ETOTER26	EXTREME VALUE FLAG: TOTERN26
3102.28	ETOTER27	01		ETOTER27	EXTREME VALUE FLAG: TOTERN27
3102.29	ETOTER28	01		ETOTER28	EXTREME VALUE FLAG: TOTERN28

3102.30	ETOTER29	01		ETOTER29	EXTREME VALUE FLAG: TOTERN29
3102.31	ETOTER30	01		ETOTER30	EXTREME VALUE FLAG: TOTERN30
3102.32	ETOTER31	01		ETOTER31	EXTREME VALUE FLAG: TOTERN31

[1]: Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.

[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

[illegible]

--	--	--	--	--	--

[1]: Indicates the default maximum length of the SAS variables which are mostly right aligned & blank filled numeric formats.  
[2]: Indicates the population which should have answered the associated question in terms of previous questions and replies.

